






FIRE RESISTANT

FIRE RESISTANT ASSEMBLIES

WALL SYSTEMS Page 182

CEILING SYSTEMS Page 183




BASOR ELECTRIC certifies that the BASORFIL cable tray installed with the below mentioned characteristics complies with Class E90 of function maintenances, in accordance with Standard DIN 4102, Section 12.

This system incorporates BASORFIL BFR with a height of 65, SHO supports are fixed to the wall and reinforced on the ceiling with threaded rods on one side.

The distance between supports is of 1.2 m and the maximum load is of 10 kg/m.

The system may have one or two levels.



MATERIALS LISTING PER FIXATION POINT

REF.	Description	1 level Quantity	2 levels Quantity
2/3622	BASORFIL BFR 100x65 CINCADO	1,2 m	2,4 m
2/0965	SHO 100 GS Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0,25 m	0,5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4919	ULA 65 CINCADO Set	0.8/100 units	1.6/100 units
2/4364	BF CINCADO Bolt-staple set	2,4/100 units	4,8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6240	SHO GS Support piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/3623	BASORFIL BFR 150x65 CINCADO	1,2 m	2,4 m
2/0966	SHO 150 GS Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0,25 m	0,5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4919	ULA 65 CINCADO Set	0.8/100 units	1.6/100 units
2/4364	BF CINCADO Bolt-staple set	2,4/100 units	4,8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6240	SHO GS Support piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/3624	BASORFIL BFR 200x65 CINCADO	1,2 m	2,4 m
2/0967	SHO 200 GS Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0,25 m	0,5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4919	ULA 65 CINCADO Set	0.8/100 units	1.6/100 units
2/4364	BF CINCADO Bolt-staple set	2,4/100 units	4,8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6240	SHO GS Support piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/3625	BASORFIL BFR 300x65 CINCADO	1,2 m	2,4 m
2/0968	SHO 300 GS Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0,25 m	0,5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4919	ULA 65 CINCADO Set	0.8/100 units	1.6/100 units
2/4364	BF CINCADO Bolt-staple set	2,4/100 units	4,8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6240	SHO GS Support piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0291	BASORFIL BFR 100x65 GC	1.2 m	2.4 m
2/0970	SHO 100 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4363	ULA 65 GC Set	0.8/100 units	1.6/100 units
2/4360	BF GC Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0292	BASORFIL BFR 150x65 GC	1.2 m	2.4 m
2/0971	SHO 150 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4363	ULA 65 GC Set	0.8/100 units	1.6/100 units
2/4360	BF GC Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0293	BASORFIL BFR 200x65 GC	1.2 m	2.4 m
2/0972	SHO 200 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4363	ULA 65 GC Set	0.8/100 units	1.6/100 units
2/4360	BF GC Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units



REF.	Description	1 level Quantity	2 levels Quantity
2/0294	BASORFIL BFR 300x65 GC	1.2 m	2.4 m
2/0973	SHO 300 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4363	ULA 65 GC Set	0.8/100 units	1.6/100 units
2/4360	BF GC Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0308	BASORFIL BFR 100x65 I304	1.2 m	2.4 m
2/0970	SHO 100 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4921	ULA 65 I304 Set	0.8/100 units	1.6/100 units
2/4915	BF I304 Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0309	BASORFIL BFR 150x65 I304	1.2 m	2.4 m
2/0971	SHO 150 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4921	ULA 65 I304 Set	0.8/100 units	1.6/100 units
2/4915	BF I304 Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0310	BASORFIL BFR 200x65 I304	1.2 m	2.4 m
2/0970	SHO 200 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4921	ULA 65 I304 Set	0.8/100 units	1.6/100 units
2/4915	BF I304 Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0310	BASORFIL BFR 300x65 I304	1.2 m	2.4 m
2/0971	SHO 300 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.25 m	0.5 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4 units	6 units
2/4921	ULA 65 I304 Set	0.8/100 units	1.6/100 units
2/4915	BF I304 Bolt-staple set	2.4/100 units	4.8/100 units
	RF M8 CINCADO Anchor	2 units	4 units
	RF M10 CINCADO Anchor	1 unit	1 unit
2/6318	SHO GC Supporting piece	1 unit	2 units



BASOR ELECTRIC certifies that the BASORTRAY ERE installed with the below mentioned characteristics complies with Class E90 of function maintenances, in accordance with Standard DIN 4102, Section 12.

This system incorporates BASORTRAY ERE H60, SHOT supports are fixed to the ceiling and reinforced on the ceiling with threaded rods on one side.

The distance between supports is of 1.2 m and the maximum load is of 10 kg/m.

MATERIALS LISTING PER FIXATION POINT

REF.	Description	Quantity
2/1197	B/P ERE 100X60 GS	1.2 m
2/1091	SHOT 100 GS Support	1 unit
2/6240	SHO GS Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4356	B1 CINCADO Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/1198	B/P ERE 150X60 GS	1.2 m
2/1092	SHOT 150 GS Support	1 unit
2/6240	SHO GS Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4356	B1 CINCADO Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/1199	B/P ERE 200X60 GS	1.2 m
2/1093	SHOT 200 GS Support	1 unit
2/6240	SHO GS Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4356	B1 CINCADO Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/1201	B/P ERE 300X60 GS	1.2 m
2/1094	SHOT 300 GS Support	1 unit
2/6240	SHO GS Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4356	B1 CINCADO Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/1227	B/P ERE 100X60 GC	1.2 m
2/1095	SHOT 100 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/6826	B1 GC Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/1228	B/P ERE 150X60 GC	1.2 m
2/1096	SHOT 150 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/6826	B1 GC Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/1229	B/P ERE 200X60 GC	1.2 m
2/1097	SHOT 200 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/6826	B1 GC Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units


REF.	Description	Quantity
2/1231	B/P ERE 300X60 GC	1.2 m
2/1098	SHOT 300 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/6826	B1 GC Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/4795	B/P ERE 100X60 I304	1.2 m
2/1095	SHOT 100 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4925	B1 I304 Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/4319	B/P ERE 150X60 I304	1.2 m
2/1096	SHOT 150 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4925	B1 I304 Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/4688	B/P ERE 200X60 I304	1.2 m
2/1097	SHOT 200 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4925	B1 I304 Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units

REF.	Description	Quantity
2/4317	B/P ERE 300X60 I304	1.2 m
2/1098	SHOT 300 GC Support	1 unit
2/6318	SHO GC Supporting piece	1 unit
2/3397	M8 CINCADO Threaded rod	0.25 m
2/6477	VR GC Variable set	1 unit
2/4925	B1 I304 Bolt set	3.6/100 units
0/0338	M8 DIN6923 CINCADO nut	4 units
	RF M10 CINCADO Anchor	1 unit
	RF M8 CINCADO Anchor	2 units



BASOR ELECTRIC certifies that the BASORTRAY FRE installed with the below mentioned characteristics complies with Class E90 of function maintenances, in accordance with Standard DIN 4102, Section 12.

This system incorporates BASORTRAY FRE H60, SPL supports are fixed to the ceiling with SHL horizontal support with reinforced on the ceiling with threaded rods on one side.

The distance between supports is of 1.2 m and the maximum load is of 10 kg/m.

The system may have one or two levels.



MATERIALS LISTING PER FIXATION POINT

REF.	Description	1 level Quantity	2 levels Quantity
2/0006	B/P FRE 100x65 GS	1.2 m	2.4 m
2/6849	SPL 600 CINCADO Support	1 unit	1 unit
2/6873	SHL 100 CINCADO Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/4356	B1 CINCADO Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0007	B/P FRE 150x65 GS	1.2 m	2.4 m
2/6849	SPL 600 CINCADO Support	1 unit	1 unit
2/6874	SHL 150 CINCADO Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/4356	B1 CINCADO Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0008	B/P FRE 200x65 GS	1.2 m	2.4 m
2/6849	SPL 600 CINCADO Support	1 unit	1 unit
2/6875	SHL 200 CINCADO Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/4356	B1 CINCADO Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0009	B/P FRE 300x65 GS	1.2 m	2.4 m
2/6849	SPL 600 CINCADO Support	1 unit	1 unit
2/6876	SHL 300 CINCADO Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/4356	B1 CINCADO Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0056	B/P FRE 100x65 GC	1.2 m	2.4 m
2/6841	SPL 600 GC Support	1 unit	1 unit
2/6866	SHL 100 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/6826	B1 GC Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0057	B/P FRE 150x65 GC	1.2 m	2.4 m
2/6841	SPL 600 GC Support	1 unit	1 unit
2/6867	SHL 150 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/6826	B1 GC Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0058	B/P FRE 200x65 GC	1.2 m	2.4 m
2/6841	SPL 600 GC Support	1 unit	1 unit
2/6868	SHL 200 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/6826	B1 GC Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units

REF.	Description	1 level Quantity	2 levels Quantity
2/0059	B/P FRE 300x65 GC	1.2 m	2.4 m
2/6841	SPL 600 GC Support	1 unit	1 unit
2/6869	SHL 300 GC Support	1 unit	2 units
2/3397	M8 CINCADO Threaded rod	0.3 m	0.6 m
2/6477	VR GC Variable set	1 unit	1 unit
0/0338	M8 DIN6923 CINCADO nut	4/100 units	6/100 units
2/6826	B1 GC Bolt set	3.6/100 units	7.2/100 units
2/6321	M10X30 CINCADO Bolt set	2/100 units	4/100 units
	RF M10 CINCADO Anchor	3 units	3 units